






Title LORIMER ST: MSB-1	Designer PH	Your Reference	Standard IEC 61439-2	Busbar Rating 6300A	Form	4A
					Width	4650 mm
Customer Data Exchange	Date 2018-07-09	Short Circuit Rating Prospective	Colour RAL7032SMF	Incomer Rating 0A	Height	2125 mm
					Depth	1050 mm
MODULAR ELSTEEL ENCLOSURES			Earthing System TN-S system	IP Rating 43	Drawing No:	



Title LORIMER ST: MSB-1	Designer PH	Your Reference	Standard IEC 61439-2	Busbar Rating 6300A	Form	4A
					Width	4650 mm
Customer Data Exchange	Date 2018-07-09	Short Circuit Rating Prospective	Colour RAL7032SMF	Incomer Rating 0A	Height	2125 mm
					Depth	1050 mm
			Earthing System TN-S system	IP Rating 43	Drawing No:	




Title LORIMER ST: MSB-1	Designer PH	Your Reference	Standard IEC 61439-2	Busbar Rating 6300A	Form	4A
					Width	4650 mm
Customer Data Exchange	Date 2018-07-09	Short Circuit Rating Prospective	Colour RAL7032SMF	Incomer Rating 0A	Height	2125 mm
					Depth	1050 mm
MODULAR ELSTEEL ENCLOSURES			Earthing System TN-S system	IP Rating 43	Drawing No:	




Title LORIMER ST: MSB-1	Designer PH	Your Reference	Standard IEC 61439-2	Busbar Rating 6300A	Form	4A
					Width	4650 mm
Customer Data Exchange	Date 2018-07-09	Short Circuit Rating Prospective	Colour RAL7032SMF	Incomer Rating 0A	Height	2125 mm
					Depth	1050 mm
MODULAR ELSTEEL ENCLOSURES			Earthing System TN-S system	IP Rating 43	Drawing No:	




Title LORIMER ST: MSB-1	Designer PH	Your Reference	Standard IEC 61439-2	Busbar Rating 6300A	Form	4A
					Width	4650 mm
Customer Data Exchange	Date 2018-07-09	Short Circuit Rating Prospective	Colour RAL7032SMF	Incomer Rating 0A	Height	2125 mm
					Depth	1050 mm
MODULAR ELSTEEL ENCLOSURES			Earthing System TN-S system	IP Rating 43	Drawing No:	



Title LORIMER ST: MSB-1	Designer PH	Your Reference	Standard IEC 61439-2	Busbar Rating 6300A	Form	4A
					Width	4650 mm
Customer Data Exchange	Date 2018-07-09	Short Circuit Rating Prospective	Colour RAL7032SMF	Incomer Rating 0A	Height	2125 mm
					Depth	1050 mm
MODULAR ELSTEEL ENCLOSURES			Earthing System TN-S system	IP Rating 43	Drawing No:	



Title	Designer	Your Reference	Standard	Busbar Rating	Form	4A
LORIMER ST: MSB-1	PH		IEC 61439-2	6300A	Width	4650 mm
Customer	Date	Short Circuit Rating	Colour	Incomer Rating	Height	2125 mm
Data Exchange	2018-07-09	Prospective	RAL7032SMF	0A	Depth	1050 mm
			Earthing System	IP Rating	Drawing No:	
			TN-S system	43		



Title LORIMER ST: MSB-1	Designer PH	Your Reference	Standard IEC 61439-2	Busbar Rating 6300A	Form	4A
					Width	4650 mm
Customer Data Exchange	Date 2018-07-09	Short Circuit Rating Prospective	Colour RAL7032SMF	Incomer Rating 0A	Height	2125 mm
					Depth	1050 mm
MODULAR ELSTEEL ENCLOSURES			Earthing System TN-S system	IP Rating 43	Drawing No:	