





Front





Left Side




Bottom




<b>Title</b> SGS BOARD: REV4 STAGE 01	<b>Designer</b> TN	<b>Your Reference</b>	<b>Standard</b> IEC 61439-2	<b>Busbar Rating</b> 3200A	<b>Form</b>	3B
					<b>Width</b>	2450 mm
<b>Customer</b> THE DATA EXCHANGE NETWORK LTD	<b>Date</b> 2018-08-30	<b>Short Circuit Rating</b> Prospective	<b>Colour</b> RAL7032SMF	<b>Incomer Rating</b> 0A	<b>Height</b>	2125 mm
					<b>Depth</b>	650 mm
			<b>Earthing System</b> TN-S system	<b>IP Code</b> -	<b>Drawing No:</b> QTN528_R1	




Front





Left Side




Bottom



<b>Title</b> SGS BOARD: REV4 STAGE 01	<b>Designer</b> TN	<b>Your Reference</b>	<b>Standard</b> IEC 61439-2	<b>Busbar Rating</b> 3200A	<b>Form</b>	3B
					<b>Width</b>	2450 mm
<b>Customer</b> THE DATA EXCHANGE NETWORK LTD	<b>Date</b> 2018-08-30	<b>Short Circuit Rating</b> Prospective	<b>Colour</b> RAL7032SMF	<b>Incomer Rating</b> 0A	<b>Height</b>	2125 mm
					<b>Depth</b>	650 mm
			<b>Earthing System</b> TN-S system	<b>IP Code</b> -	<b>Drawing No:</b> QTN528_R1	



<b>Title</b> SGS BOARD: REV4 STAGE 01	<b>Designer</b> TN	<b>Your Reference</b>	<b>Standard</b> IEC 61439-2	<b>Busbar Rating</b> 3200A	<b>Form</b>	3B
					<b>Width</b>	2450 mm
<b>Customer</b> THE DATA EXCHANGE NETWORK LTD	<b>Date</b> 2018-08-30	<b>Short Circuit Rating</b> Prospective	<b>Colour</b> RAL7032SMF	<b>Incomer Rating</b> 0A	<b>Height</b>	2125 mm
					<b>Depth</b>	650 mm
			<b>Earthing System</b>	<b>IP Code</b>	<b>Drawing No:</b>	
			TN-S system	-	QTN528_R1	